

## Peer-reviewed publications attributable to research conducted at Lee Stocking Island

### References

1. Aby S. 1994. Relation of bank-margin fractures to sea-level change, Exuma Islands, Bahamas. *Geol.* 22(12):1063-6.
2. Ackleson S. 2003. Light in shallow waters: A brief research review. *Limnology and Oceanography* 48(1, part 2):323-8.
3. Adam A, Ebersole J. 2004. Processes Influencing Recruitment Inferred from Distributions of Coral Reef Fishes. *Bulletin of Marine Science* 75(2):153-74.
4. Allison G, Lubchenco J, Carr MH. 1998. Marine reserves are necessary but not sufficient for marine conservation. *Ecological Applications* 8(1 Supplement):S79-S92.
5. Alvarez F, Villalobos J, Iliffe T. 2000. *Naushonia manningi*, new species (Decapoda: Thalassinidea: Laomediidae), from Acklins Island, Bahamas. *J. Crust. Biol.* 20(Special Number 2):192-8.
6. Anderson T. 2000. Predator responses, prey refuges, and density-dependent mortality of a marine fish.
7. Anderson T, Carr M. 1998. BINCKE: A highly efficient net for collecting reef fishes. *Environmental Biology of Fishes* 51:111-5.
8. Aponte N, Ballantine D. 2001. Depth distribution of algal species on the deep insular fore reef at Lee Stocking Island, Bahamas. *Deep Sea Res. I* 48:2185-94.
9. Armstrong R. 1993. Remote sensing of submerged vegetation canopies for biomass estimation. *Int. J. Remote Sensing* 14(3):621-27.
10. Arnold T, Targett N. 2000. Evidence for the metabolic turnover of polyphenolics in tropical brown algae. *J. Chem. Ecol.* 26(6):1393-410.
11. Arnold TM, Targett N, Tanner C, Hatch W, Ferrari K. 2001. Evidence for methyl jasmonate-induced phlorotannin production in *Fucus vesiculosus* (Phaeophyta). *Journal of Phycology* 37:1026-9.
12. Aronson RB. 1998. Decadal-scale persistence of predation potential in coral reef communities. *Mar. Ecol. Prog. Ser.* 172:53-60.
13. Awramik S, Riding R. 1988. Role of algal eukaryotes in subtidal columnar stromatolite formation. *Proceedings of the National Academy of Sciences, USA* 85:1327-9.

14. Baldwin CC, Johnson GD, Colin PL. 1991. Larvae of *Diploprion bifasciatum*, *Belonoperca chabanaudi* and *Grammistes sexlineatus* (Serranidae: Epinephelinae) with a comparison of known larvae of other epinephelines. *Bulletin of Marine Science* 48(1):67-93.
15. Ballantine D , Aponte N. 2003. An annotated checklist of deep-reef benthic marine algae from Lee Stocking Island, Bahamas (western Atlantic), I. Chlorophyta and Heterokontophyta. *Nova Hedwigia*. 76(1-2):133-27.
16. Ballantine D, Aponte N. 2002. *Botryocladia bahamense* sp. nov. (Rhodymeniaceae, Rhodophyta) from the Bahamas, western Atlantic. *Cryptogamie, Algol.* 23(2):123-30.
17. Ballantine D , Aponte NE. 1996. *Verdigellar nektongammaea* (Tetrasporales, Chlorophyta), a new deep-water species from the Bahamas. *Nova Hedwigia*. 62:3-4.
18. Ballantine D , Norris J. 1994. *Verdigellas*, a new deep-water genus (Tetrasporales, Chlorophyta) from the tropical western Atlantic. *Crypt. Bot.* 4:368-72.
19. Ballantine D , Aponte N. 2005. An annotated checklist of deep-reef benthic marine algae from Lee Stocking Island, Bahamas (western Atlantic) II. Rhodophyta. *Nova Hedwigia* 80(1-2):147-71.
20. Barile P, Stoner A, Young CM. 1994. Phototaxis and vertical migration of the queen conch (*Strombus gigas* Linne) veliger larvae. *J. Exp. Mar. Biol. Ecol.* 183(2):147-62.
21. Becker L, Mueller E. 2001. The culture, transplantation and storage of *Montastraea faveolata*, *Acropora cervicornis* and *Acropora palmata*: What we have learned so far. *Bulletin of Marine Science* 69(2):881-96.
22. Bell LJ. 1992. Reproduction and larval development of the West Indian top shell, *Cittarium pica* (Trochidae), in the Bahamas. *Bulletin of Marine Science* 51(2):250-66.
23. Bishop RTJ. 2001. Leptocephalus energetics: Assembly of the energetics equation. *Mar. Biol.*
24. Bishop RTJ, Crabtree R. 2000. Chemical composition and growth indices in leptocephalus larvae. *Mar. Biol.* 137:205-14.
25. Boardman M, Carney C. 1991. Origin and accumulation of lime mud in ooid tidal channels, Bahamas. *J. Sediment. Petrol.* 61(5):661-80.
26. Bohnsack J. 1998. Application of marine reserves to reef fisheries management. *Aust. Jour. Ecol.* 23:298-304.

27. Booth D, Hixon M. 1999. Food ration and condition affect early survival of the coral reef damselfish, *Stegastes partitus*. *Oecologia* 121:364-8.
28. Borges A, Djenidi S, Lacroix G, Theate J, Delille B, Frankignoulle M. 2003. Atmospheric CO<sub>2</sub> flux from mangrove surrounding waters. *Geophysical Research Letters* 30(11).
29. Boss E, Zaneveld J. 2003. The effect of bottom substrate on inherent optical properties: Evidence of biogeochemical processes. *Limnology and Oceanography* 48(1, part 2):346-54.
30. Boss SK, Neumann AC. 1995. Hurricane Andrew on Northern Great Bahama Bank: Insights into storm behavior on shallow seas. *J. Coast. Res.* 21(Special Issue):24-48.
31. Boss SK, Neumann AC. 1993. Impacts of Hurricane Andrew on carbonate platform environments, northern Great Bahama Bank. *Geol.* 21:897-900.
32. Botosaneanu L, Iliffe T. 1997. Four new stygobitic cirolanids (Crustacea: Isopoda) from the Caribbean - with remarks on intergeneric limits in some cirolanids. *B. I. R. Sci. Nat. Belg. B.* 67:77-94.
33. Botosaneanu L, Iliffe T. 1999. On four new stygobitic cirolanids (Isopoda: Cirolanidae) and several already described species from Mexico and the Bahamas. *B. I. R. Sci. Nat. Belg. B.* 69:93-123.
34. Botosaneanu L, Iliffe T. 1999. A simple scenario for stygobitization in *Stenobermuda* Schultz, 1978 (Isopoda Asellota Stenetriidae), with description of a new species from Andros Island. *Int. J. Speleology* 26:37-45.
35. Brass JL, Rust MB, Olla BL, Wicklund RI. 1990. Preliminary investigations into the socio-economic feasibility of saltwater cage culture of Florida red tilapia in Haiti. *J. World Aquaculture* 21(3):192-200.
36. Brown B, Ambarsari I, Warner M, Fitt W, Dunne R, Gibb S, Cummings D. 1999. Diurnal changes in photochemical efficiency and xanthophyll concentrations in shallow water reef corals : Evidence for photoinhibition and photoprotection. *Coral Reefs* 18:99-105.
37. Brown B, Dunne R, Warner M, Ambarsari I, Fitt W, Gibb S, Cummings D. 2000. Damage and recovery of photosystem II during a manipulative field experiment on solar bleaching in the coral *Gboniastrea aspera*. *Mar. Ecol. Prog. Ser.* 195:117-24.
38. Buchanan B, Stoner AW. 1988. Distributional patterns of blue crabs (*Callinectes* spp.) in a tropical estuary. *Estuaries* 11:231-9.

39. Burdige D. 2001. Dissolved organic matter in Chesapeake Bay. *Organic Geochemistry* 32(2001):487-505.
40. Burdige D, Zimmerman R. 2002. Impact of seagrass density on carbonate dissolution in Bahamian sediments. *Limnology and Oceanography* 47(6):1751-63.
41. Burne R, Moore LS. 1987. Microbialites: Organosedimentary deposits of benthic microbial communities. *Palaios* 2:241-54.
42. Caley M, Carr M, Hixon M, Hughes T, Jones G, Menge BA. 1996. Recruitment and the local dynamics of open marine populations. *Annual Review of Ecology and Systematics* 27:477-500.
43. Call K, Hardy J, Wallin D. 2003. Coral reef habitat discrimination using multivariate spectral analysis and satellite remote sensing. *Int. J. Remote Sensing* 24(13):2627-39.
44. Callender R, Powell E. 2000. Long-term history of chemoautotrophic clam-dominated faunas of petroleum seeps in the northwestern Gulf of Mexico. *Facies* 43:177-204.
45. Callender W, Powell E. 1999. Why did ancient chemosynthetic seep and vent assemblages occur in shallower water than they do today? *Int. J. Earth Sciences* 88:377-91.
46. Callender WR, Staff GM, Parsons-Hubbard KM, Powell EN, Rowe GT, Walker SE, Brett CE, Raymond A, Carlson DD, White S and others. 2002. Taphonomic Trends Along a Forereef Slope: Lee Stocking Island, Bahamas. I. Location and Water Depth. *Palaios* 17:50-65.
47. Cameron A, Endean R, DeVantier LM. 1991. Predation on massive corals: are devastating population outbreaks of *Acanthaster planci* novel events? *Mar. Ecol. Prog. Ser.* 75:251-8.
48. Carder K, Cheng-Chien L, Zhongping L, English D, Patten J, Chen F, Ivey J. 2003. Illumination and turbidity effects on observing faceted bottom elements with uniform Lambertian albedos. *Limnology and Oceanography* 48(1, part 2):355-63.
49. Carder K, Liu C, Lee Z. 2003. Illumination and turbidity effects on observing faceted bottom elements with uniform Lambertian albedos. *Limnology and Oceanography* 48(1):355-63.
50. Carr MH, Hixon MA. 1997. Artificial reefs: the importance of comparisons with natural reefs. *Fisheries* 22(4):28-33.
51. Carr MH, Hixon MA. in press. Recruitment and predation: effects of piscivores on

early survivorship of coral reef fishes. *Oecologia* .

52. Carr M, Anderson T, Hixon M. 2002. Biodiversity, population regulation, and the stability of coral-reef fish communities. *Proceedings of the National Academy of Sciences, USA* 99(17):11241-5.
53. Carr M, Hixon M. 1995. Predation effects on early post-settlement survivorship of coral-reef fishes. *Mar. Ecol. Prog. Ser.* 124(13):31-42.
54. Castanaro J, Lasker H. 2003. Colony growth responses of the Caribbean octocoral, *Pseudopterogorgia elisabethae*, to harvesting. *Invert. Bio.* 122(4):299-307.
55. Choat J, Robertson D, Ackerman J, et. al. 2003. An age-based demographic analysis of the Caribbean stoplight parrotfish *Sparisoma viride*. *Mar. Ecol. Prog. Ser.* 246:264-77.
56. Clark AE, Watanabe WO, Olla BL, Wicklund RI. 1990. Growth, feed conversion and protein utilization of Florida red tilapia fed isocaloric diets with different protein levels in seawater pools. *Aquaculture* 88:75-85.
57. Clark JH, Watanabe WO, Ernst DH, Olla BL, Wicklund RI. 1990. Effect of feeding rate on growth and feed conversion of Florida red tilapia reared in floating marine cages. *J. World Aquaculture* 21(1):16-24.
58. Colin P. 1989. Aspects of the spawning of western Atlantic butterflyfishes (Pisces: Chaetodontidae). *Environmental Biology of Fishes* 25(1-3):131-41.
59. Colin P. 1996. Longevity of some coral reef fish spawning aggregations. *Copeia* 1996(1):189-92.
60. Colin P. 1992. Reproduction of the Nassau grouper *Epinephelus striatus* (Pisces: Serranidae) and its relationship to environmental conditions. *Environmental Biology of Fishes* 34 :357-77.
61. Colin PL. 1995. Surface currents in Exuma Sound, Bahamas, and adjacent areas with reference to potential larval transport. *Bulletin of Marine Science* 56(1):48-57.
62. Colin P, Clavijo I. 1988. Spawning activity of fishes producing pelagic eggs on a shelf edge coral reef, southwestern Puerto Rico. *Bulletin of Marine Science* 43(2):249-79.
63. Colin P, Laroche W, Brothers E. in press. Settlement timing and recruitment of two species of grouper, *Epinephelus striatus* and *E. fulvus*, with relationship to spawning occurrence. *Mar. Ecol. Prog. Ser.* .
64. Colin P, Laroche W, Brothers E. 1997. Ingress and settlement in the Nassau

grouper, *Epinephelus striatus* (Pisces: Serranidae), with relationship to spawning occurrence. Bulletin of Marine Science 60(3):656-67.

65. Colin P, Laroche W, Koenig CC. 1997. Timing of ingress and settlement in the Nassau grouper, *Epinephelus striatus* (Pisces: Serranidae), with relationship to spawning occurrence. Bulletin of Marine Science 60(3):656-67.
66. Cowell L, Watanabe W, Head W, Grover J, Shenker JM. 1993. Use of tropical cleaner fish to control the ectoparasite *Neobenedenia melleni* (Monogenea: Capsalidae) on seawater-cultured Florida red tilapia. Aquaculture 113:189-200.
67. Curran H, White B. 1991. Trace fossils of shallow sub-tidal to dunal ichnofacies in Bahamian quaternary carbonates. Palaios 6(5).
68. Dahlgren C, Marr J. 2004. Back Reef Systems: Important But Overlooked Components of Tropical Marine Ecosystems. Bulletin of Marine Science 75(2):145-52.
69. Dahlgren C. 1999. The biology, ecology and conservation of the Nassau grouper, *Epinephelus striatus*, in the Bahamas. Bahamas Journal of Science 7(1):6-12.
70. Dahlgren C, Eggleston D. 2000. Ecological processes underlying ontogenetic habitat shifts in a coral reef fish. Ecology 81(8):2227-40.
71. Dahlgren C, Eggleston D. 2001. Spatiotemporal variability in abundance, size and microhabitat associations of early juvenile Nassau grouper *Epinephelus striatus* in an off-reef nursery system. Mar. Ecol. Prog. Ser 217:145-56.
72. Davis M. 1992. Comparison of survivorship between wild and hatchery-reared juvenile queen conch (*Strombus gigas*) from decapod predators. J. Shellfish Res. 11(1):193.
73. Davis M. 1994. Short-term competence in larvae of queen conch *Strombus gigas*: shifts in behavior, morphology and metamorphic response. Mar. Ecol. Prog. Ser. 104:101-8.
74. Davis M, Bolton C, Stoner AW. 1993. A comparison of larval development, growth and shell morphology in three Caribbean *Strombus* species. Veliger. 36(3):236-44.
75. Davis M, Hodgkins GA, Stoner AW. 1996. A mesocosm system for ecological research with marine invertebrate larvae. Mar. Ecol. Prog. Ser. 130(1-3):97-104.
76. Davis M, Stoner A. 1994. Trophic cues induce metamorphosis of queen conch larvae (*Strombus gigas* Linnaeus). J. Exp. Mar. Biol. Ecol. 180(1):83-102.

77. de Laubenfels MW. 1949. Sponges of the Western Bahamas. Amer. Museum Novitates, Amer. Museum of Natl. Hist., New York. 1431.
78. de Sylva D, Richards W, Capo TR, Serafy J. 2000. Potential effects of human activities on billfishes (Istiophoridae and Xiphiidae) in the western Atlantic. *Bulletin of Marine Science* 66(1):187-98.
79. Decho A, Kawaguchi T, Allison M, Louchard E, Reid R, Stephens F, Voss K, Weatcroft R, Taylor B. 2003. Sediment properties influencing upwelling spectral reflectance signatures: The "biofilm gel effect". *Limnology and Oceanography* 48(1, part 2):431-43.
80. Dennis GD. 1988. Commercial catch length-frequency data as a tool for fish. mgmt. with an application to the Puerto Rico trap fishery. *Mem. Soc. Cienc. Nat. La Salle.* 48(3):289-310.
81. Dennis G, Bright TJ. 1988. New records of fishes in the northwestern Gulf of Mexico, with notes on some rare species. *NE Gulf Sci.* 10(1):1-18.
82. Dennis G, Bright TJ. 1988. Reef Fish Assemblages On Hard Banks In The Northwestern Gulf of Mexico. *Bulletin of Marine Science* 43(2):280-307.
83. Dennis G, Dahlgren C, Ratchford S. 1998. Occurrence of the toadfish, *Opsanus phobetron*, in the Exuma Cays, Bahamas. *Bahamas Journal of Science* 6(1):31-4.
84. Diaz G, Smith S, Serafy J, Ault JS. 2001. Allometry of pink shrimp growth in a subtropical bay. *Trans. Amer. Fish. Soc.* 130(2):328-35.
85. Dierssen H, Zimmerman R, Leathers R, Downes T, Davis C. 2003. Ocean color remote sensing of seagrass and bathymetry in the Bahamas Banks by high-resolution airborne imagery. *Limnology and Oceanography* 48(1, part 2):444-55.
86. Dill R. 1993. Magellan GPS helps geologists record effects of Hurricane Andrew on the Great Bahama Bank. *Magellan Newsletter* .
87. Dill RF. 1991. The role of water mass mixing, microbial mats and marine cementation in the formation of subtidal stromatolites, ooids and crusted-lime muds at the margin of the Great Bahama Bank Margin. *Soc. Sediment. Geol.. Spec. Publ. Francis P. Shepard Commemorative Volume*(R. Osborne, ed. ).
88. Dill RF. 1991. Subtidal stromatolites, ooids and crusted-lime muds at the Great Bahama Bank Margin. *From Shoreline to Abyss, SEPM Special Publication No. 46*(Society for Sedimentary Geology).
89. Dill R, Shinn E, Jones A, Kelly K, Steinen R. 1986. Giant subtidal stromatolites

forming in normal salinity waters. *Nature* 324(6092):55-8.

90. Dix G. 2001. Origin of Sr-rich magnesian calcite mud in a Holocene pond basin (Lee Stocking Island, Bahamas). *J. Sed. Res.* 71(1):167-75 (Part A).
91. Dix G, Kyser K. 2000. Punctuated environmental change along the Holocene (<6 ka) bank region margin of south-west Exuma Sound, Bahamas. *Sedimentology* 47(2):421-34.
92. Dix G, Patterson R, Park LE. 1999. Marine saline ponds as sedimentary archives of late Holocene climate and sea-level variation along a carbonate platform margin: Lee Stocking Island, Bahamas. *Palaeo* 150(3-4):223-46.
93. Dobbs F, Zimmerman R, Drake L. 2004. Occurrence of intracellular crystals in leaves of *Thalassia testudinum*. *Aquatic Bio.* 80(1):23-8.
94. Domeier M, Colin PL. 1997. Tropical reef fish spawning aggregations: defined and reviewed. *Bulletin of Marine Science* 60(3):698-726.
95. Drake L, Dobbs F, Zimmerman R. 2003. Effects of epiphyte load on optical properties and photosynthetic potential of the seagrasses *Thalassia testudinum* Banks ex König and *Zostera marina* L. *Limnology and Oceanography* 48(1, part 2):456-63.
96. Dustan P, Lidz BH, Shinn EA. 1991. Impact of exploratory wells, offshore Florida: a biological assessment. *Bulletin of Marine Science* 48(1):94-124.
97. Duval M, Rader D, Lindeman K. 2004. Linking Habitat Protection and Marine Protected Area Programs to Conserve Coral Reefs and Associated Back Reef Habitats. *Bulletin of Marine Science* 75(2):321-34.
98. Eckelbarger KJ, Young CM. 1997. Ultrastructure of the ovary and oogenesis in the methane-seep mollusc *Bathynnerita naticoidea* (Gastropoda: Neritidae) from the Louisiana slope. *INVERTEBR. BIOL.* 116(4):299-312.
99. Eggleston D, Lipcius R. 1992. Dynamics of shelter selection by Caribbean spiny lobster under variable predation risk, social conditions and shelter size. *Ecology* 73:992-1011.
100. Eggleston DB. 1990. Foraging behavior of the blue crab, *Callinectes sapidus*: on juvenile oysters, *Crassostrea virginica*: effect of prey density and size. *Bulletin of Marine Science* 46(1):62-82.
101. Eggleston DB. 1990. Functional responses of blue crabs *Callinectes sapidus* Rathbun feeding on juvenile oysters *Crassostrea virginica* (Gmelin): effects of predator sex and size, and prey size. *J. Exp. Mar. Biol. Ecol.* 143:73-90.
102. Eggleston DB, Etherington LL, Elis WE. 1998. Organism response to habitat

patchiness: species and habitat-dependent recruitment of decapod crustaceans. *J. Exp. Mar. Biol. Ecol.* 223(1):111-32.

103. Eggleston DB, Lipcius RN. 1990. Stock enhancement of Caribbean spiny lobster. *The Lobster Newsletter* 3(1):10-1.
104. Eggleston DB, Lipcius RN, Miller DL, Coba-Cetina L. 1990. Shelter scaling regulates survival of juvenile Caribbean spiny lobster *Panulirus argus*. *Mar. Ecol. Prog. Ser.* 62:79-88.
105. Eggleston DB. 1990. Behavioral mechanisms underlying variable functional responses of blue crabs (*Callinectes sapidus*) feeding on juvenile oysters (*Crassostrea virginica*). *J. An. Ecol.* 59( 2):615-30.
106. Eggleston D . 1995. Recruitment in Nassau grouper *Epinephelus striatus* post-settlement abundance, microhabitat features and ontogenetic habitat shifts. *Mar. Ecol. Prog. Ser.* 124(1-3):9-22.
107. Eggleston D , Armstrong D, Elis W, Patton WS. 1998. Estuarine fronts as conduits for larval transport: Hydrodynamics and spatial distribution of Dungeness crab postlarvae. *Mar. Ecol. Prog. Ser.* 164:73-82.
108. Eggleston D , Bochenek EA. 1990. Stomach contents and parasite infestation of school bluefin tuna *Thunnus thynnus* collected from the Middle Atlantic Bight, Virginia. *Fishery Bulletin* 88(2):389-95.
109. Eggleston D , Dahlgren C, Johnson E. 2004. Fish Density, Diversity, and Size-Structure Within Multiple Back Reef Habitats of Key West National Wildlife Refuge. *Bulletin of Marine Science* 75(2):175-204.
110. Eggleston D , Grover J, Lipcius RN. 1998. Ontogenetic diet shifts in Nassau grouper: trophic linkages and predatory impact. *Bulletin of Marine Science* 63(1):111-26.
111. Eggleston D , Lipcius RN. 1992. Dynamics of shelter selection in the Caribbean spiny lobster. *The Lobster Newsletter* 5(1):7-8.
112. Eggleston D , Lipcius RN. 1992. Shelter selection by spiny lobster under variable predation risk, social conditions and shelter size. *Ecology* 73(3):992-1011.
113. Eggleston D , Lipcius R, Grover JJ. 1997. Predator and shelter-size effects on coral reef fish and spiny lobster prey. *Mar. Ecol. Prog. Ser.* 149:43-59.
114. Eggleston D , Lipcius R, Hines AH. 1992. Density-dependent predation by blue crabs upon infaunal clam species with contrasting distribution and abundance patterns. *Mar. Ecol. Prog. Ser.* 85:55-68.
115. Eggleston D , Lipcius R, Marshall L Jr., Ratchford SG. 1998. Spatiotemporal

variation in postlarval recruitment of the Caribbean spiny lobster in the central Bahamas: lunar and seasonal periodicity, spatial coherence, and wind forcing. *Mar. Ecol. Prog. Ser.* 174:33-49.

116. Eggleston D , Lipcius R, Miller DL. 1992. Artificial shelters and survival of juvenile Caribbean spiny lobster *Panulirus argus*: spatial, habitat, and lobster size effects. *Fishery Bulletin* 90:691-702.
117. Ellis E, Watanabe W. 1993. The effects of hyposalinity on eggs, juveniles and adults of the marine monogenean, *Neobenedenia melleni* - treatment of ecto-parasitosis in seawater-cultured tilapia. *Aquaculture* 117:15-27.
118. Ellis E, Watanabe W, Ellis S, Ginoza J, Moriwake A. 1997. Effects of turbulence, salinity, and light intensity on hatching rate and survival of larval Nassau Grouper, *Epinephelus striatus*. *J. Appl. Aquacult.* 7(3):33-43.
119. Ellis SC, Watanabe WO. 1994. Comparison of raceway and cylindroconical tanks for brackishwater production of juvenile Florida red tilapia under high stocking densities. *Aquacultural Engineering.* 13:59-69.
120. Ellis SC, Watanabe WO, Head WD. 1993. Effect of initial age variation on production of Florida red tilapia fry under intensive, brackishwater tank culture. *Aqua. Fish. Manage.* 24:433-9.
121. Ellis S, Viala G, Watanabe W. 1996. Growth and feed utilization of hatchery-reared, juvenile Nassau grouper fed four practical diets. *Prog. Fish Cult.* 58:167-72.
122. Emson R, Morritt D, Andrews E, et. al. 2002. Life on a hot dry beach: behavioural, physiological, and ultrastructural adaptations of the littorinid gastropod *Cenchritis (Tectarius) muricatus*. *Mar. Bio.* 140(4):723-32.
123. Ernst DH, Ellingson LJ, Olla BL, Wicklund RI, Watanabe WO, Grover JJ. 1989. Production of Florida red tilapia in seawater pools: nursery rearing with chicken manure and grow out with prepared feed. *Aquaculture* 80:247-60.
124. Ernst D, Watanabe W, Ellingson L, Wicklund R, Olla BL. 1991. Commercial-scale production of Florida red tilapia seed in low and brackish-salinity tanks. *J. World Aquaculture* 22(1):36-44.
125. Erseus C. 2003. The Gutless Tubificidae (Annelida: Oligochaeta of the Bahamas). *Meiofauna Marina* 12:59-84.
126. Erseus C , Källersjö M, Ekman M, Hovmöller R. 2002. 18S rDNA Phylogeny of the Tubificidae (Clitellata) and Its Constituent Taxa: Dismissal of the Naididae. *Molecular Phylogenetics and Evolution* 22(3):414-22.
127. Erseus C , Prestegard T, Källersjö M. 2000. Phylogenetic Analysis of Tubificidae

(Annelida, Clitellata) Based on 18S rDNA Sequences. *Molecular Phylogenetics and Evolution* 15(3):381-89.

128. Farmer M, Fitt W, Trench R. 2001. The morphology of the symbiosis between *Corculum cardissa* (Mollusca: Bivalvia) and *Symbiodinium corcolorum* (Dinophyceae). *Biol. Bull.* 200:336-43.
129. Faunce C, Lorenz J, Ley J, Serafy JE. 2002. Size structure of gray snapper (*Lutjanus griseus*) within a mangrove "no-take" sanctuary. *Bulletin of Marine Science* 70(1):211-6.
130. Feldman K, Armstrong D, Eggleston D, Dumbauld B. 1997. Effects of substrate selection and post-settlement survival on recruitment success of the thalassinidean shrimp *Neotrypaea californiensis* to intertidal shell and mud habitats. *Mar. Ecol. Prog. Ser.* 150(1-3):121-36.
131. Feldman M, McKenzie J. 1998. Stromatolite-thrombolite associations in a modern environment, Lee Stocking Island, Bahamas. *Palaios* 13(2):201-12.
132. Fisher R. 2004. Nocturnal vertical distribution of late-stage larval coral reef fishes off the leeward side of Lizard Island, Great Barrier Reef, Australia. *Bulletin of Marine Science* 75(3):439-51.
133. Fitt W. 2000. Cellular growth of host and symbiont in a cnidarian-zooxanthellar symbiosis. *Biol. Bull.* 198:110-20.
134. Fitt W, Brown B, Warner M, Dunne RP. 2001. Coral bleaching, interpretation of thermal tolerance limits and thermal thresholds in tropical corals. *Coral Reefs* 20:51-65.
135. Fitt W, Cook C. 2001. The effects of feeding or addition of dissolved inorganic nutrients in maintaining the symbiosis between dinoflagellates and a tropical marine cnidarian. *Mar. Biol.* 139:507-17.
136. Fitt W, Cook C. 2001. Photoacclimation and the effect of the symbiotic environment on the photosynthetic response of symbiotic dinoflagellates in the tropical marine hydroid *Myrionema amboinense*. *J. Exp. Mar. Biol. & Ecol.* 256:15-31.
137. Fitt W, Costley K. 1998. The role of temperature in survival of the polyp stage of the tropical rhizostome jellyfish *Cassiopea xamachana*. *J. Exp. Mar. Biol. and Eco.* 222(1-2):79-91.
138. Fitt W, McFarland F, Warner M, Chilcoat G. 2000. Seasonal patterns of tissue biomass and densities of symbiotic dinoflagellates in reef corals and relation to coral bleaching. *Limnology and Oceanography* 45(3):677-85.
139. Fitt W, Spero H, Halas J, White M, Porter J. 1993. Recovery of the coral

*Montastrea annularis* in the Florida Keys after the 1987 Caribbean "bleaching event". Coral Reefs 12:57-64.

140. Fitt W, Warner ME. 1995. Bleaching patterns of four species of Caribbean reef corals. Biol. Bull. 189(Dec.):298-307.
141. Fleck J, Fitt W. 1999. Degrading mangrove leaves of *Rhizophora mangle* Linne provide a natural cue for settlement and metamorphosis of the upside down jellyfish *Cassiopea xamachana* Bigelow. J. Exp. Mar. Bio. and Ecol. 234:83-94.
142. Fleck J, Fitt W, Hahn M. 1999. A proline-rich peptide originating from decomposing mangrove leaves is one natural metamorphic cue of tropical jellyfish *Cassiopea xamachana*. Mar. Ecol. Prog. Ser. 183:115-24.
143. Forrester G , Steele M. 2004. Predators, prey refuges, and the spatial scaling of density-dependent prey mortality. Ecology 85:1332-42.
144. Forrester G , Steele M. 2000. Variation in the presence and cause of density-dependent mortality in three species of reef fishes. Ecology 81:2416-27.
145. Fosshagen A . 1996. Undersjriske huler en ny verden med en spennende fauna. Naturen. 120(5):266-71.
146. Fosshagen A , Boxshall G, Iliffe T. 2001. The Epacteriscidae, a cave-living family of calanoid copepods. Sarsia 86:245-318.
147. Fosshagen A , Iliffe T. 1998. A new genus of the Ridgewayiidae (Copepoda, Calanoida) from an anchialine cave in the Bahamas. Contributions of the 1996 Int. Copepod Congress, Oldenburg, Germany. J. of Mar. Sys. 15:373-80.
148. Fourqurean J, Rutten L. 2004. The Impact of Hurricane Georges on Soft-Bottom Back Reef Communities: Site- and Species-Specific Effects in South Florida Seagrass Beds. Bulletin of Marine Science 75(2):239-57.
149. Fukami H, Budd A, Levitan D, Jara J, Kersanach R, Knowlton N. 2004. Geographic Differences in Species Boundaries Among Members of the *Montastraea annularis* Complex Based on Molecular and Morphological Markers. Evolution 58(2):324-37.
150. Garrett P, Gould SJ. 1984. Geology of New Providence Island, Bahamas. Geo. Soc. Amer. Bull. 95:209-20, 13 figs., 2 tables.
151. Garrison V, Shinn E, Foreman W, Griffin D, Holmes C, Kellogg C, Majewski M, Richardson L, Ritchie K, Smith G. 2003. African and Asian dust: From desert soils to coral reefs. BioScience 53:469-80.

152. Gascoigne J , Lipcius RN. 2004. Allee effects in marine systems. *Mar. Ecol. Prog. Ser.* 269:49-59.
153. Gektidis M. 1997. Microbioerosion in Bahamian ooids. *Cour. Forsch. Senck.* (201):109-21.
154. Gektidis M, Golubic S. 1996. A new endolithic cyanophyte/cyanobacterium: *Hyella vacans* sp. nov. from Lee Stocking Island, Bahamas. *Nova Hedwigia.* (112):93-100.
155. Genovese S, Witman J. 2004. Wind-mediated Diel Variation in Flow Speed in a Jamaican Back Reef Environment: Effects on Ecological Processes. *Bulletin of Marine Science* 75(2):281-93.
156. George SB, Young CM, Fenaux L. 1997. Proximate composition of eggs and larvae of the sand dollar *Encope michelini* (Agassiz): The advantage of higher investment in plankotrophic eggs. *Invertebr. Reprod. Dev.* 32(1):11-9.
157. Gill I, Olson JJ, Hubbard DK. 1995. Corals, paleotemperature records and the aragonite-calcite transformation. *Geol.* April(23):333-6; 7fig.
158. Glazer R, Kidney J. 2004. Habitat Associations of Adult Queen Conch (*Strombus gigas* L.) in an Unfished Florida Keys Back Reef: Applications to Essential Fish Habitat. *Bulletin of Marine Science* 75(2):205-24.
159. Gochfeld D, Hamann M. 2001. The isolation and biological evaluation of filiformin, plakortide F and plakortone G from the Caribbean sponge *Plakortis* sp. *J. of Nat. Prod.* 64:1477-9.
160. Golubic S, Browne KM. 1996. *Schizothrix gebeleinii* sp. nova builds subtidal stromatolites, Lee Stocking Island, Bahamas. *Cyanobacteria, Morphology, Taxonomy, Ecology.*, Schweizerbart'Sche Verlagsbuchhandl., Stuttgart (FRG), *Archiv Fur Hydrobiologie. Supplementband. Algological Studies.* Stuttgart [*Arch. Hydrobiol. (Suppl.) (Algol. Stud.)*] 117:273-90.
161. Gonzalez R, Eberli G. 1997. Sediment transport and bedforms in a carbonate tidal inlet; Lee Stocking Island, Exumas, Bahamas. *Sedimentology* 44(6):1015-30.
162. Gorbunov MY , Falkowski PG. 2002. Photoreceptors in the cnidarian hosts allow symbiotic corals to sense blue moonlight. *Limnology and Oceanography* 47(1):309-15.
163. Gorbunov M, Falkowski P, Kolber Z. 2000. Measurement of photosynthetic parameters in benthic organisms in situ using a SCUBA-based fast repetition rate fluorometer. *Limnology and Oceanography* 45(1):242-5.
164. Gorbunov M, Kolber Z, Lesser M, Falkowski P. 2001. Photosynthesis and

photoprotection in symbiotic corals. *Limnology and Oceanography* 46(1):75-85.

165. Grammer GM, Ginsburg RN. 1991. Timing of deposition and failure of steep carbonate slopes, Tongue of the Ocean, Bahamas. *AAPG Bull.* 75:584.
166. Grammer GM, Ginsburg RN, McNeill DF. 1990. Heterogeneity of Holocene clinotherms: significance for the exploitation of ancient slope deposits. *AAPG Bull.* 74:665.
167. Grammer GM, Ginsburg RN, Swart PK, McNeill DF, Jull AJT, Prezbindowski DR. 1993. Rapid growth rates of syndepositional marine aragonite cements in steep marginal slope deposits, Bahamas and Belize. *J. Sediment Petrol.* 34:983-9.
168. Grammer GM, McNeill DF, Swart PK. 1994. High-resolution stable isotopic fluctuations in tropical marine waters determined from inorganic aragonite cements: implications to the Younger Dryas and other high-frequency climatic events. *EOS. Tran. Amer. Geophys. Union.* 75:333p.
169. Grammer G, Ginsburg RN. 1992. Highstand vs. lowstand deposition along carbonate platform margins: insight from quaternary foreslopes in the Bahamas. *Mar. Geol.* 103:125-36.
170. Gray C. 1996. Small-scale temporal variability in assemblages of larval fishes: Implications for sampling. *J. Plankton Res.* 18(9):1643-57.
171. Greenstein BJ. 1993. Is the fossil record of regular echinoids really so poor? A comparison of living and subfossil assemblages. *Palaios* 8:587-601.
172. Greenwood CB, Shenker JM. in press. Distribution, abundance, growth and feeding habits of larval Nassau grouper, *Epinephelus striatus*, and coney, *E. fulvus*, (Pisces: Serranidae) in Exuma Sound, Bahamas. *Fishery Bulletin* .
173. Grover JJ. 1993. Trophic ecology of pelagic early-juvenile Nassau grouper, *Epinephelus striatus*, during an early phase of recruitment into demersal habitats. *Bulletin of Marine Science* 53(3):1117-25.
174. Grover JJ, Olla BL, O'Brien MC, Wicklund RI. 1989. Food habits of Florida red tilapia fry in manured seawater pools in the Bahamas. *Prog. Fish Cult.* 51:152-6.
175. Grover JJ. 1994. A new role for cleaner fish: biological control of ectoparasites in aquaculture. *Underwater Naturalist.* 22(2):9-13.
176. Grover J, Eggleston D, Shenker J. 1998. Transition from pelagic to demersal phase in early-juvenile Nassau grouper, *Epinephelus striatus*: pigmentation,

- squamation, and ontogeny of diet. *Bulletin of Marine Science* 62(1):97-113.
177. Grygier MJ. 1996. A world list of coral reef-associated Ascothoracida (Crustacea), with remarks on Lauridae, Petrarciidae, and Dendrogastridae from Okinawa, Japan. *Galaxea*. 13:15-33.
178. Gutierrez-Rodriguez C, Lasker HR. 2004. Isolation and characterization of microsatellite loci in the Caribbean gorgonian *Pseudopterogorgia elisabethae*. *Molecular Eco. Notes* 4:153-5.
179. Gutierrez-Rodriguez C, Lasker HR. 2004. Microsatellite variation reveals high levels of genetic variability and population structure in the gorgonian coral *Pseudopterogorgia elisabethae* across the Bahamas. *Mol. Eco.* 13:2211-21.
180. Gutierrez-Rodriguez C, Lasker HR. 2004. Reproductive biology, development, and planula behavior in the Caribbean gorgonian *Pseudopterogorgia elisabethae*. *Invert. Bio.* 123(1):53-66.
181. Gutu M. 2001. Emendations on the description of *Thetispelecaris remex* Gutu and Iliffe, 1998 and the diagnosis of the Order Bochusacea (Crustacea: Peracarida). *Travaux Du Museum National D' Histoire Naturelle* 43:47-57.
182. Gutu M, Iliffe T. 1998. Description of a new Hirsutiid (N.G., N.SP.) and reassignment of this family from order Mictacea to the new order, Bochusacea (Crustacea, Peracarida). *Travaux Du Museum D'Histoire Naturelle Grigore Antipa* 40:93-120.
183. Gutu M, Iliffe T. 2001. *Grallatontanais antipai*, a new genus and species of the Family Leptocheliidae Land, 1963 from a marine cave in the Bahamas (Crustacea: Tanaidacea, Tanaidomorpha). *Travaux Du Museum National D'Histoire Naturelle* 43:93-100.
184. Gutu M, Iliffe T. 1998. *Sphyrapoides bicornis*, new genus and new species from a submarine escarpment in the Bahamas, and some remarks on Sphyrapinae (Crustacea, Tanaidacea). *Travaux Du Museum D'Histoire Naturelle Grigore Antipa* 40:211-25.
185. Hamner PP, Hamner WM. 1993. In situ behavior of deep-sea animals: 3-D videography from submersibles and motion analysis. *U.S. GLOBEC News.* 4:7-10.
186. Hanisak MD. 1993. Shallow macroalgal communities associated with seagrass beds on Exuma Bank, Bahamas. *Journal of Phycology* 29 (3 suppl.):(21).
187. Hanisak MD. 1992. The importance of macroalgae to the queen conch, *Strombus gigas*. *Journal of Phycology* 28(3 Suppl.):12.
188. Head WD, Zerbi A, Watanabe WO. 1994. Preliminary observations on the

marketability of saltwater-cultured Florida red tilapia in Puerto Rico. *J. World Aquaculture* 25(3):432-41.

189. Head W, Watanabe WO. 1995. Economic analysis of a commercial-scale, recirculating, brackish water hatchery for Florida red tilapia. *J. Appl. Aquacult.* 5(2):1-24.
190. Head W, Watanabe W, Ellis S, Ellis EP. 1996. Hormone induced multiple spawning of captive Nassau grouper broodstock. *Prog. Fish Cult.* 58:65-9.
191. Hedley J, Mumby P. 2003. A remote sensing method for resolving depth and subpixel composition of aquatic benthos. *Limnology and Oceanography* 48(1, part 2):480-8.
192. Hendee J, Mueller E, Humphrey C, Moore T. 2001. A Data-Driven Expert System for Producing Coral Bleaching Alerts at Sombrero Reef in the Florida Keys, USA. *Bulletin of Marine Science* 69(2):673-84.
193. Hensley D, Shapiro D, Appeldorn R, Ray M, Turingan RG. 1994. Egg dispersal in Caribbean coral reef fish, *Thalassoma bifasciatum*. I. Dispersal over the reef platform. *Bulletin of Marine Science* 54:256-70.
194. Hixon M. 1998. Population dynamics of coral-reef fishes: controversial concepts and hypotheses. *Aust. J. Ecol.* 23:192-201.
195. Hixon MA. 1996. What is "recruitment limitation" anyway? *Reef Encounter.* 19:5-6.
196. Hixon M, Carr MH. 1997. Synergistic predation, density dependence, and population regulation in marine fish. *Science* 277:946-9.
197. Hixon M, Jones GP. 1996. Recruitment and population dynamics of coral reef fishes. *Bulletin of the Ecological Society of America* 77:162-4.
198. Hixon M, Pacala S, Sandin S. 2002. Population regulation: historical context and contemporary challenges of open vs. closed systems. *Ecology* 83(6):1490-508.
199. Iliffe T, Bowen C. 2001. Scientific cave diving. *Mar. Tech. Society J.* 35(2):36-41.
200. Jaime D, Boxshall G, Iliffe T. 1998. Two new genera of misophrioid copepods (Crustacea) from an anchihaline cave in the Bahamas. *J. Natl. Hist.* 32:661-81.
201. Jeunesse T, Loh W, van Woesik T, Hoegh-Guldberg O, Schmidt G, Fitt WK. 2003. Low symbiont diversity in southern Great Barrier Reef corals relative to those of the Caribbean. *Limnology and Oceanography* .
202. Joyeux J. 1999. The abundance of fish larvae in estuaries: Within-tide variability an

inlet and immigration. *Estuaries* 22(4):889-904.

203. Kakuk B. 1995. Diving the faultlines of Andros. *Bahamas Journal of Science* 3(1).
204. Kendall M, Buja K, Christensen J, Kruer C, Monaco M. 2004. The Seascape Approach to Coral Ecosystem Mapping: An Integral Component of Understanding the Habitat Utilization Patterns of Reef Fish. *Bulletin of Marine Science* 75(2):225-37.
205. Kiene W. 1997. Enriched nutrients and their impact on bioerosion: results from ENCORE. *Proc. 8th Int. Coral Reef Sym.* 1:897-902.
206. Kiessling W , Flugel E, Golonka J. 2003. Patterns of Phanerozoic carbonate platform sedimentation. *Lethaia* 36(3):195-225.
207. Kindler P. 1992. Coastal response to the Holocene transgression in the Bahamas: episodic sedimentation versus continuous sea-level rise. *Sediment. Geol.* 80:319-29.
208. Kingsford M . 2001. Diel patterns of abundance of presettlement reef fishes and pelagic larvae on a coral reef. *Mar. Bio.* 138(4):853-67.
209. Koenemann S , Iliffe T, van der Ham J. 2003. Three new sympatric species of *Remipedia* (Crustacea) from Great Exuma Island, Bahamas. *Smithsonian Contributions to Zoology* 72(4):227-52.
210. Koenemann S , Yager J, Iliffe T. 2004. *Kaloketos pilosus*, a new genus and species of *Remipedia* (Crustacea) from the Turks and Caicos Islands. *Zootaxa* 618:1-12.
211. Koslow J, Hanley F, Wicklund RI. 1988. Effects of fishing on reef communities at Pedro Bank and Port Royal Cays, Jamaica. *Mar. Ecol. Prog. Ser.* 43:201-12.
212. LaJeunesse T. 2002. Diversity and community structure of symbiotic dinoflagellates from Caribbean coral reefs. *Mar. Bio.* 141(2):387-400.
213. Land MF, Marshall NJ, Diebel C. 1995. Tracking of blue lights by hyperiid amphipods. *J. Mar. Biol. Assoc. UK* 75:71-81.
214. Lang J, Lasker H, Gladfelter E, Hallock P, Jaap W, Losada F, Muller RG. 1992. Spatial and temporal variability during periods of "recovery" after mass bleaching on western Atlantic coral reefs. *Amer. Zool.* 32:696-706.
215. Larson R, Matsumoto G, Madin L, Lewis LM. 1992. Deep-sea benthic and benthopelagic medusae: recent observations from submersibles and a remotely operated vehicle. *Bulletin of Marine Science* 51:277-86.

216. Lasker H. 2005. Gorgonian Mortality During a Thermal Event in the Bahamas. *Bulletin of Marine Science* 76(1):155-62.
217. Lasker H. 2003. Zooxanthella densities within a Caribbean octocoral during bleaching and non-bleaching years. *Coral Reefs* 22:23-6.
218. Lasker H, Boller M, Castanaro J, Sanchez J. 2003. Determinate growth and modularity in a gorgonian octocoral. *Biol. Bull.* 205:319-30.
219. Lasker H, Coffroth M, Hurley-Leslie S. 2002. A Management Plan for the Bahamian Gorgonian, *Pseudopterogorgia elisabethae*. California Sea Grant: Report of Completed Projects 1994-97, 1998, Pp. 229-230 .
220. Lea DW, Spero HJ. 1994. Assessing the reliability of paleochemical tracers: barium uptake in the shells of planktonic foraminifera. *Paleoceanography* 9(3):445-52.
221. Lea D, Spero HJ. 1992. Experimental verification of barium and cadmium uptake in shells of the planktonic foraminifera *Orbulina universa* and *Globigerinoides sacculifer*. *EOS* 72(51):21.
222. Lesser MP, Mazel C, Gornumov M, Falkowski P. 2004. Discovery of Symbiotic Nitrogen-Fixing Cyanobacteria in Corals. *Science* 305(5686):997-1000.
223. Lesser M, Gorbunov M. 2001. Diurnal and bathymetric changes in chlorophyll fluorescence yields of reef corals measured *in situ* with a fast repetition rate fluorometer. *Mar. Ecol. Prog. Ser* 212:69-77.
224. Levitan D, Fukami H, Jara J, Kline D, McGovern T, McGhee K, Swanson C, Knowlton N. 2004. Mechanisms of reproductive isolation among sympatric broadcast-spawning corals of the *Montastraea annularis* species complex. *Evolution* 58(2):308-23.
225. Lipcius R, Cobb J. 1993. Fishery ecology of Palinurid lobsters with relevance to the Caribbean spiny lobster. *Bahamas Journal of Science* 1:16-27.
226. Lipcius R, Eggleston D, Miller D, Luhrs T. 1998. The habitat-survival function for Caribbean spiny lobster: An inverted size effect and non-linearity in mixed algal and seagrass habitats. *Mar. Freshwater Res.* 49(8):807-16.
227. Lipcius R, Herrnkind W. 1987. Control and coordination of reproduction and molting in the spiny lobster, *Panulirus argus*. *Mar. Biol.* 96:207-14.
228. Lipcius R, Stockhausen W, Eggleston D. 2001. Marine reserves for Caribbean spiny lobster: empirical evaluation and theoretical meta population recruitment dynamics. *Mar. Freshwater Res.* 52:1589-98.
229. Lipcius R, Stockhausen W, Eggleston D, Marshall L ,Jr., Hickey B. 1997.

Hydronamic decoupling of recruitment, habitat quality and adult abundance in the Caribbean spiny lobster: source-sink dynamics? Mar. Freshwater Res. 45:807-15.

230. Lombardi M. 2004. Rebreather Technology: There is a market, but can anyone deliver? Volume 45. Arlington, VA: Compass Publications, Inc. 12.
231. Louchard E, Reid R, Stephen C, Davis C, Leathers R, Downes T, Maffione R. 2002. Derivative analysis of absorption features in hyperspectral remote sensing data of carbonate sediments. Optics Express 10(26):p. 1573-84.
232. Louchard E, Reid R, Stephens F, Davis C, Leathers R, DT. 2003. Optical remote sensing of benthic habitats and bathymetry in coastal environments at Lee Stocking Island, Bahamas: A comparative spectral classification approach. Limnology and Oceanography 48(1, part 2):511-21.
233. Maldonado M , George S, Young C, Vaquerizo I. 1997. Depth regulation in parenchymella larvae of a demosponge: Relative roles of skeletogenesis, biochemical changes and behavior. Mar. Ecol. Prog. Ser. 148(1-3):115-24.
234. Maldonado M , Young C. 1996. Bathymetric patterns of sponge distribution on the Bahamian slope. DEEP-SEA RES. (1 OCEANOGR. RES. PAP.) 43(6):897-916.
235. Maldonado M , Young C. 1996. Effects of physical factors on larval behavior, settlement and recruitment of four tropical demospoges. Mar. Ecol. Prog. Ser. 138( 1-3):169-80.
236. Maldonado M , Young C. 1999. Effects of the duration of larval life on postlarval stages of the demosponge *Sigmadocia caerulea*. J. Exp. Mar. Biol. Ecol. 232:9-21.
237. Maldonado M , Young C. 1998. Limits on the bathymetric distribution of keratose sponges: A field test in deep water. Mar. Ecol. Prog. Ser. 174:123-39.
238. Maldonado M , Young C. 1998. A new species of poecilosclerid sponge (Porifera) from bathyal methane seeps in the Gulf of Mexico. J. Mar. Biol. Assoc. U.K. 78(3):795-806.
239. Maldonado M , Young C. 1998. Reevaluation of stalked aplysinid sponges, with description of a new species from the upper Bahamian slope. Bulletin of Marine Science 63(2):417-26.
240. Bulletin of Marine Science. St. Lawrence, KS: Allen Press, Inc. Vol. 75, 2004.
241. Marriott C, Henderson G, Belshaw N, Tudhope A. 2004. Temperature dependence of  $\delta^7\text{Li}$ ,  $\delta^{44}\text{Ca}$  and Li/Ca during growth of calcium carbonate. Earth and Planetary Science Letters 222(2):615-24.

242. Marshall N, Diebel C. 1995. "Deep-sea spiders" that walk through the water. *J. Exp. Biol.* 198:1371-9.
243. Martin-Mora E, James F, Stoner AW. 1995. Developmental plasticity in the shell of the queen conch *Strombus gigas*. *Ecology* 76(3):981-94.
244. Masterson C, Danilowicz B, Sale P. 1997. Yearly and inter-island variation in the recruitment dynamics of the bluehead wrasse (*Thalassoma bifasciatum*, Bloch). *J. Exp. Mar. Bio. Ecol.* 214(1-2):149-66.
245. Maul G. 1999. On the role of IOCARIBE in a Caribbean Tsunami System: Science, Engineering, Management, and Education. *Marine Geodesy* 22:53-62.
246. Mazel C, Fuchs E. 2003. Contribution of fluorescence to the spectral signature and perceived color of corals. *Limnology and Oceanography* 48(1, part 2):390-401.
247. Mazel C, Lesser M, Gorbunov M, Barry T, Farrell J, Wyman K, Falkowski P. 2003. Green-fluorescent proteins in Caribbean corals. *Limnology and Oceanography* 48(1, part 2):402-11.
248. Mazel C, Strand M, Lesser M, Crosby M, Coles B, Nevis A. 2003. High-resolution determination of coral reef bottom cover from multispectral fluorescence laser line scan imagery. *Limnology and Oceanography* 48(1, part 2):522-34.
249. McGeachin R, Wicklund R, Olla B, Winton JR. 1987. Growth of *Tilapia aurea* in seawater cages. *J. World Aquaculture* 18(1):31-4.
250. Messing C, Neumann A, Lang JC. 1990. Biozonation of deep-water lithoherms and associated hardgrounds in the northeastern straits of Florida. *Soc. Sediment. Geol. Palaios.* 5:15-33.
251. Metaxas A, Young CM. 1998. Behaviour of echinoid larvae around sharp haloclines: effects of the salinity gradient and dietary conditioning. *Mar. Biol.* 131(3):443-59.
252. Mintz J, Lipcius R, Eggleston D, Seebo MS. 1994. Survival of juvenile Caribbean spiny lobster: effects of shelter size, geographic location and conspecific abundance. *Mar. Ecol. Prog. Ser.* 112:255-66.
253. Mobley C, Zhang H, Voss K. 2003. Effects of optically shallow bottoms on upwelling radiances: Bi directional reflectance distribution function effects. *Limnology and Oceanography* 48(1, part 2):337-45.
254. Mojica R, Jr., Shenker J, Harnden C, Wagner D. 1995. Recruitment of bonefish, *Albula vulpes*, around Lee Stocking Island, Bahamas. *Fishery Bulletin* 93(4):666-74.

255. Morse A. 1998. The miracle of the Reef. *Smithsonian Magazine* 28(11):88-96.
256. Morse A, Iwao K, Baba M, Shimoike K, Hayashibara T, Omori M. 1996. An ancient chemosensory mechanism brings new life to coral reefs. *Biol. Bull.* 191(2):149-54.
257. Morse A, Morse DE. 1996. Flypapers for coral and other planktonic larvae. *BioScience* 46(4):254-62.
258. Morse A, Morse DE. 1997. Ocean Research: breakthrough working to repair coral reefs. *Sea Technology* 81.
259. Mueller KW. 1994. Gregarious behavior in mutton snapper in the Exuma Cays. *Bahamas Journal of Science* 1(3):17-22.
260. Mueller KW. 1995. Size structure of mutton snapper, *Lutjanus analis*, associated with unexploited artificial patch reefs in the central Bahamas. *Fishery Bulletin* 93:573-6.
261. Mueller KW, Dennis GD, Eggleston DB, Wicklund RI. 1994. Size-specific social interactions and foraging styles in a shallow water population of mutton snapper, *Lutjanus analis* (Pisces: Lutjanidae), in the central Bahamas. *Environmental Biology of Fishes* 40:175-88.
262. Mueller KW, Watanabe WO, Head WD. 1992. Effect of salinity on hatching in *Neobenedenia melleni*, a monogenean ectoparasite of seawater-cultured tilapia. *J. World Aquaculture* 23(3):199-204.
263. Mueller KW, Watanabe WO, Head WD. 1994. Occurrence and control of *Neobenedenia melleni* (Monogenea: Capsalidae) in cultured tropical marine fish, including three new host records. *Prog. Fish Cult.* 56:140-2.
264. Mueller K. 1999. Interspecific interactions between mutton snapper and fishes associated with artificial patch reefs in the Exuma Cays. *Bahamas Journal of Science* 7(1):28-35.
265. Myers M, Hardy J, Mazel C, Dustan P. 1999. Optical spectra and pigmentation of Caribbean reef corals and macroalgae. *Coral Reefs* 18:179-86.
266. Olszewski T . 2004. Modeling the influence of taphonomic destruction, reworking, and burial on time-averaging in fossil accumulations. *Palaios* 19(1):39-50.
267. Parsons-Hubbard K, Callender W, Powell E, Brett C, Walker S, Raymond A, Staff G. 1999. Rates of Burial and Disturbance of Experimentally-Deployed Molluscs: Implications for Preservation Potential. *Palaios* 14:337-51.
268. Patterson HM, Thorrold SR, Shenker JM. 1999. Analysis of otolith chemistry in Nassau grouper (*Epinephelus striatus*) from the Bahamas and Belize using

solution-based ICP-MS . Coral Reefs 18:171-8.

269. Pfeiler E. 1998. Acidic glycosaminoglycans in marine teleost larvae: evidence for a relationship between composition and negative charge density in Elopomorph leptocephali. *Comp. Biochem. Physiol.* 119B(1):137-44.
270. Pinckney J, Reid R. 1997. Productivity and community composition of stromatolitic microbial mats in the Exuma Cays, Bahamas. *Facies* 36:204-7.
271. Porter J, Fitt W, Spero H, Rogers C, White MW. 1989. Bleaching in reef corals: Physiological and stable isotopic responses. *Proceedings of the National Academy of Sciences, USA* 86:9342-6.
272. Powell E, Callender W, Stanton R Jr. 1998. Can shallow- and deep-water chemoautotrophic and heterotrophic communities be discriminated in the fossil record? *Palaeo* 144(1998):85-114.
273. Powell E, Parsons-Hubbard K, Callender W, Staff G, Rowe G, Brett C, Walker S, Raymond A, Carlson D, White S and others. 2002. Taphonomy on the continental shelf and slope: two-year trends - Gulf of Mexico and Bahamas. *Palaeo* 184:1-35.
274. Powell E, Staff G, Stanton R Jr., Callender W. 2001. Application of trophic transfer efficiency and age structure in the trophic analysis of fossil assemblages. *Lethaia* 34:97-118.
275. Pueschel C, Sullivan K, Ballantine D. 1997. Ultrastructure of *Verdigellas peltata* (Palmellaceae, Chlorophyta), a deep-water, palmelloid alga with ferritin and trilaminar sheaths. *Phycologia* 36(6):492-9.
276. Radtke G. 1993. The distribution of microborings in molluscan shells from recent reef environments at Lee Stocking Island, Bahamas. *Facies* (29):81-92.
277. Radtke G, Gektidis M, Golubic S, Hofmann K, Kiene W, Le Campion-Alsumard T. 1997. The identity of an endolithic alga: *Ostreobium brabantium* Weber-van Bosse is recognized as carbonate-penetrating rhizoids of *Acetabularia* (Chlorophyta, Dasycladales). *Cour. Forsch. Senck.* (201):341-47.
278. Radtke G, Hofmann K, Golubic S. 1997. A bibliographic overview of micro- and macroscopic bioerosion. *Cour. Forsch. Senck.* 201:307-40.
279. Radtke G, Le Campion-Alsumard T, Golubic S. 1997. Microbial assemblages involved in tropical coastal bioerosion: an Atlantic-Pacific comparison. *Proc. 8th Int. Coral Reef Sym.* 2:1825-30.
280. Radtke G, Le Campion-Alsumard T, Golubic S. 1996. Microbial assemblages of the bioerosional "notch" along tropical limestone coasts. *Arch. Hydrobiol. (Suppl.) (Algol. Stud.)* (83):469-82.

281. Ratchford S , Eggleston DB. 1998. Size- and scale-dependent chemical attraction contribute to an ontogenetic shift in sociality. *Animal Behavior* 56:1027-34.
282. Ray-Culp M, Davis M, Stoner AW. 1997. The micropredators of settling and newly settled queen conch (*Strombus gigas* Linnaeus). *J. Shellfish Res.* 16(2):423-8.
283. Ray-Culp M, Davis M, Stoner AW. 1999. Predation by xanthid crabs on early post-settlement gastropods: The role of prey size, prey density, and habitat complexity. *J. Exp. Mar. Biol. Ecol.* 240:303-21.
284. Ray M, Stoner AW. 1994. Experimental analysis of growth and survivorship in a marine gastropod aggregation: balancing growth with safety in numbers. *Mar. Ecol. Prog. Ser.* 105:47-59.
285. Ray M, Stoner AW. 1995. Growth, survivorship and habitat choice in a newly settled seagrass gastropod, *Strombus gigas*.. *Mar. Ecol. Prog. Ser.* 123:83-94.
286. Ray M, Stoner AW. 1995. Predation on a tropical spinose gastropod: The role of shell morphology. *J. Exp. Mar. Biol. Ecol.* 187:207-22.
287. Ray M, Stoner A, O'Connell SM. 1994. Size-specific predation of juvenile queen conch, *Strombus gigas*: implications for stock enhancement. *Aquaculture* 128:79-88.
288. Regan J, Carrier W, Gucinski H, Olla B, Yoshida H, Fujimura R, Wicklund R. 1992. DNA as a solar dosimeter in the ocean. *Photochem. Photobiol.* 56(1):35-42.
289. Reid R, Browne K. 1991. Intertidal stromatolites in a fringing Holocene reef complex, Bahamas. *Geology* 19:15-8.
290. Reid R, Macintyre I, Browne K, Steneck R, Miller T. 1995. Modern marine stromatolites in the Exuma Cays, Bahamas: uncommonly common. *ERLANGEN. Facies* 33:1-18; Pl. 1-7.
291. Reinhardt E . 1997. A Combined Micropaleontological and Strontium Isotope Methodology As a Paleoceanographic Tool. *Dissertation Abstracts International Part B: Science and Engineering [Diss. Abst. Int. Pt. B - Sci. & Eng.]*, Dec 1997 58(6):2914.
292. Reynolds W, Casterlin ME. 1979. Behavioral Thermoregulation in the Spiny Lobster *Panulirus argus* (Latreille). *Hydrobiologia* 66(2):141-3.
293. Richardson L, Goldberg W, Kuta K, Aronson R, Smith G, Ritchie K, Halas J, Feingold J, Miller SL. 1998. Florida's mystery coral-killer identified. *Nature*, Vol. 392, No. 6676, Pp. 557-558, 9 Apr 1998 .

294. Richardson L, Mills D, Remily E, Voss JD. in press. Development and Field Application of a Molecular Probe for the Primary Pathogen of the Coral Disease White Plague Type II. *Revista De Biologia Tropical* .
295. Richardson L, Voss J. in press. Changes in a coral population on reefs of thenorthern Florida Keys following a coral disease epizootic. *Mar. Ecol. Prog. Ser.*
296. Riding R. 2000. Microbial carbonates: the geological record of calcified bacterial-algal mats and biofilms. *Sedimentology* 47:179-214.
297. Riding R, Awramik S, Winsborough B, Griffin K, Dill RF. 1991. Bahamian giant stromatolites: microbial composition of surface mats. *Geol. Mag.* 128(3):227-34.
298. Riding R, Braga J, Martin J. 1991. Oolite stromatolites and thrombolites, Miocene, Spain: analogues of recent giant Bahamian examples. *Sediment. Geol.* 71(3-4):121-7.
299. Robinson L, Belshaw N, Henderson GM. 2004. U and Th concentrations and isotope ratios in modern carbonates and waters from the Bahamas. *Geochimica Et Cosmochimica Acta* 68(8):1777-89.
300. Rodriguez C, Stoner AW. 1993. Epiphyte community of mangrove roots in a tropical estuary. *Acta Científica* 7:137-44.
301. Rodriguez C , Stoner AW. 1990. The epiphyte community of mangrove roots in a tropical estuary: distribution and biomass. *Aqua. Bot.* 36:117-26.
302. Rooker JR, Dennis GD. 1991. Diel, lunar and seasonal changes in a mangrove fish assemblage off southwestern Puerto Rico. *Bulletin of Marine Science* 49(3):684-98.
303. Rooker JR, Dennis GD, Goulet D. 1996. Sampling larval fishes with a nightlight life-net in tropical inshore waters. *Fish. Research* 26:1-15.
304. Sadovy Y, Colin P. 1995. Sexual development and sexuality in the Nassau grouper. *Journal of Fish Biology* 46:961-76.
305. Sadovy Y, Colin P, Domeier ML. 1994. Aggregation and spawning in the tiger grouper, *Mycteroperca tigris* (Pisces: Serranidae). *Copeia* 2:511-6.
306. Sale P, Cowen R, Danilowicz B, Jones G, Kritzer J, Lindeman K, Planes S, Polunin N, Russ G, Sadovy Y and others. 2005. Critical science gaps impede use of no-take fishery reserves. *Trends in Ecology and Evolution* 20:74-80.
307. Sanchez J, Lasker H, Nepomuceno E, Woldenberg MA. 2004. Branching and self-organization in marine modular colonial organisms: a model. *American*

Naturalist 163:E24-E39.

308. Sanchez J, McFadden C, France S, Lasker H. 2003. Molecular phylogenetic analyses of shallow-water Caribbean octocorals. *Mar. Bio.* 142:975-87.
309. Sanchez J, Zeng W, Coluci V, Simpson C, Lasker HR. 2003. How similar are branching networks in nature? A view from the ocean: Caribbean gorgonian corals. *Journal of Theoretical Biology* 222:135-8.
310. Sandt VJ, Stoner AW. 1993. Ontogenetic shift in habitat by early juvenile queen conch, *Strombus gigas*: patterns and potential mechanisms. *Fishery Bulletin* 91:516-25.
311. Santavy D, Mueller E, Peters E, MacLaughlin L, Porter J, Patterson K, Campbell J. 2001. Quantitative assessment of coral diseases in the Florida Keys; strategy and methodology. *Hydrobiologia* 460:39-52.
312. Santos S, Gutierrez-Rodriguez C, Lasker HR, Coffroth MA. 2003. *Symbiodinium* sp. associations in the gorgonian *Pseudopterogorgia elisabethae* in the Bahamas: high levels of genetic variability and population structure in symbiotic dinoflagellates. *Mar. Bio.* 143:111-20.
313. Schuhmacher H, Kiene W, Dullo W-C, Gektidis M, Golubic S, Heiss G, Kampmann H, Kroll D, Kuhrau M, Radtke G and others. 1995. Factors controlling Holocene reef growth: an interdisciplinary approach. *Facies* 32:145-88.
314. Sealey K. 2004. Large-scale Ecological Impacts of Development on Tropical Island Systems: Comparison of Developed and Undeveloped Islands in the Central Bahamas. *Bulletin of Marine Science* 75(2):295-320.
315. Seitz R, Lipcius R. submitted. Bottom-up control of spiny lobster abundance and distribution. *Mar. Freshwater Res.*
316. Serafy J. 2003. Mangrove Shoreline Fishes of Biscayne Bay, Florida. *Bulletin of Marine Science* 72(1):161-80.
317. Serafy J, Cowen R, Paris C, Capo T, Luthy S. 2003. Evidence of blue marlin, *Makaira nigricans*, spawning in the vicinity of Exuma Sound, Bahamas. *Marine and Freshwater Research* 54:299-306.
318. Shenker JM, Maddox ED, Wishinski E, Pearl A, Thorrold SR, Smith NP. 1993. Onshore transport of settlement-stage Nassau grouper (*Epinephelus striatus*) and other fishes in Exuma Sound, Bahamas. *Mar. Ecol. Prog. Ser.* 98:31-43.
319. Shinn EA. 1987. Sand castles from the past: Bahamian stromatolites discovered. *Sea Frontiers /Sea Secrets* 33(5):334-43.

320. Shinn E. 1987. Sand castles from the past: Bahamian stromatolites discovered. *Sea Frontiers* 33(5):334-43.
321. Shinn E, Steinen R, Lidz B, Swart P. 1989. "Whittings", a Sedimentological Dilemma. *J. Sed. Petrology* 59:147-61.
322. Shinn E, Wicklund RI. 1989. Artificial reef observations from a manned submersible off southeast Florida. *Bulletin of Marine Science* 44(2):1041-50.
323. Slattery M, Gochfeld D, Frankfater C, Avery B. submitted. Habitat-specific differences in the defensive strategies of sponges: Antimicrobial or antifeedant activity of Bahamian cave and reef-flat conspecifics. *Mar. Ecol. Prog. Ser.*
324. Smith N. 1995. Observations of steady and seasonal salt, heat and mass transport through a tidal channel. *J. Geophys. Res. - Oceans* 100 (C7):pgs. 13, 713-13, 718.
325. Smith N. 1995. On long-term net transport over Great Bahamas Bank. *J. Phys. Oceanogr.* 25(4):579-684.
326. Smith N. 2004. Transport Processes Linking Shelf and Back Reef Ecosystems in the Exuma Cays, Bahamas. *Bulletin of Marine Science* 75(2):269-79.
327. Smith N. 2001. Weather and hydrographic conditions associated with coral bleaching at Lee Stocking Island, Bahamas. *Coral Reefs* 20(4):415-22.
328. Smith N, Stoner A. 1993. Computer Simulation of Larval Transport Through Tidal Channels: Role of Vertical Migration. *Estuarine, Coastal and Shelf Science* 37:43-58.
329. Smith S, Watanabe W, Chan J, Ernst D, Wicklund R, Olla BL . 1991. Hatchery production of Florida red tilapia seed in brackishwater tanks: the influence of broodstock age. *Aqua. Fish. Manage.* 22:141-7.
330. Snelgrove P , Grassle J, Petrecca RF. 1996. Experimental evidence for aging food patches as a factor contributing to high deep-sea macrofaunal diversity. *Limnology and Oceanography* 41(4):605-14.
331. Snelgrove P , Grassle J, Petrecca RF. 1994. Macrofaunal response to artificial enrichment and depressions in a deep-sea habitat. *J. Mar. Res.* 52:345-69.
332. Snelgrove P , Grassle J, Petrecca RF. 1992. The role of food patches in maintaining high deep-sea diversity: field experiments using hydrodynamically unbiased colonization trays. *Limnology and Oceanography* 37(7):1543-50.
333. Spero HJ, Lea DW. 1993. Intraspecific stable isotope variability in the planktonic

foraminifera *Globigerinoides sacculifer*: results from laboratory experiments. Mar. Micropaleontol. 22:221-34.

334. Sponaugle S , Cowen R. 1997. Early life history traits and recruitment patterns of Caribbean wrasses (Labridae). Ecol. Monographs 67(2):177-202.
335. Staff GM, Callender WR, Powell EN, Brett CE, Walker SE, Carlson DD, White S, Raymond A, Heise EA. 2002. Taphonomic Trends Along a Forereef Slope: Lee Stocking Island, Bahamas. II. Time. Palaios 17:66-83.
336. Steele M, Forrester G. 2002. Early post-settlement predation on three reef fishes: effects on spatial patterns of recruitment. Ecology 83(4):1076-91.
337. Steele M, Forrester G, Almany G. 1998. Influences of predators and conspecifics on recruitment of a tropical and a temperate reef fish. Mar. Ecol. Prog. Ser. 172:115-25.
338. Steneck R. 1998. Human influences on coastal ecosystems: Does overfishing create trophic cascades? Trends in Ecology and Evolution 13:429-30.
339. Steneck R, Macintyre I, Reid RP. 1997. A unique algal ridge system in the Exuma Cays, Bahamas. Coral Reefs 16(1):29-37.
340. Steneck R, Miller T, Macintyre I, Reid P. 1998. Ecological controls on stromatolite development in a modern environment: a test of the "Ecological Refuge Paradigm". Carbonates and Evaporites 13:48-65.
341. Stephens C, Louchard E, Reid R, Maffione R. 2003. Effects of microalgal communities on reflectance spectra of carbonate sediments in subtidal optically shallow marine environments. Limnology and Oceanography 48(1, part 2):535-46.
342. Stockhausen W, Lipcius R. 2001. Single large or several small marine reserves for the Caribbean spiny lobster? Mar. Freshwater Res. 52:1605-14.
343. Stockhausen W, Lipcius R, Hickey B. 2000. Joint effects of larval dispersal, population regulation, marine reserve design and exploitation on production and recruitment of the Caribbean spiny lobster. Bulletin of Marine Science 66(3):957-90.
344. Stoner AW. 1994. Significance of habitat and stock pre-testing for enhancement of natural fisheries: experimental analyses with queen conch *Strombus gigas*. J. World Aquaculture 25(1):155-65.
345. Stoner AW. 1997. Status of queen conch research in the Caribbean. Mar. Fish. Rev. 59(3):14-22.
346. Stoner AW, Acevedo C. 1990. The macroinfaunal community of a tropical

estuarine lagoon. *Estuaries* 13:174-81.

347. Stoner AW, Buchanan BA. 1990. Ontogeny and overlap in the diets of four tropical *Callinectes* species. *Bulletin of Marine Science* 46:3-12.
348. Stoner AW, Buchanan BA, Acevedo C. 1993. Ecology of the demersal communities of Laguna Joyuda. *Acta Científica* 137:145-87.
349. Stoner AW, Davis M. 1994. Experimental outplanting of juvenile queen conch, *Strombus gigas*: comparison of wild and hatchery-reared stocks. *Fishery Bulletin* 92:390-411.
350. Stoner AW, Glazer RA, Barile PJ. 1996. Larval supply to queen conch nurseries: Relationships with recruitment process and population size . *J. Shellfish Res.* 15(2):407-20.
351. Stoner A. W., Lally J. 1994. High-density aggregation in queen conch *Strombus gigas*: formation, patterns and ecological significance. *Mar. Ecol. Prog. Ser.* 106:73-84.
352. Stoner AW, Lipcius RN, Marshall LS, Jr., Bardales AT. 1988. Synchronous emergence and mass migration in juvenile queen conch. *Mar. Ecol. Prog. Ser.* 49:51-5.
353. Stoner AW, Mehta N, Lee TN. 1997. Recruitment of *Strombus veligers* to the Florida Keys reef tract: Relation to hydrographic events. *J. Shellfish Res.* 16(1):1-6.
354. Stoner AW, Ray M, Waite JM. 1995. The effects of a large herbivorous gastropod on macrofauna communities in tropical seagrass meadows. *Mar. Ecol. Prog. Ser.* 121:125-37.
355. Stoner AW, Waite JM. 1990. Distribution and behavior of queen conch *Strombus gigas* relative to seagrass standing crop . *Fishery Bulletin* 88:573-85.
356. Stoner AW, Zimmerman RJ. 1988. Food pathways associated with penaeid shrimps in a tropical estuary. *Fishery Bulletin* 86:543-51.
357. Stoner AW. 1988. A 1 yr survey of shrimps in Laguna Joyuda, Puerto Rico. *Mar. Ecol. Prog. Ser.* 42:133-41.
358. Stoner A. 1989. Density-dependent growth and the grazing effects of juvenile queen conch *Strombus gigas* L. in a tropical seagrass meadow. *J. Exptl. Mar. Biol. Ecol.* 130:119-33.
359. Stoner AW. 1991. Diel variation in the catch of fishes and penaeid shrimps in a tropical estuary. *Estuarine, Coastal and Shelf Science* 33 :57-69.

360. Stoner AW. 1989. Fish community ecology in estuaries and coastal lagoons: towards an ecosystem integration. *Copeia* 19:241-2.
361. Stoner A. 1995. Oceanographic Considerations in Stock Rehabilitation.
362. Stoner AW. 1997. Shell middens as indicators of long-term distributional pattern in *Strombus gigas*, a heavily exploited marine gastropod. *Bulletin of Marine Science* 61(3):559-70.
363. Stoner A. 1989. Winter mass migration of juvenile queen conch *Strombus gigas* and their influence on the benthic environment. *Mar. Ecol. Prog. Ser.* 56 :99-104.
364. Stoner A, Davis M. 1997. Abundance and distribution of queen conch veligers (*Strombus gigas* Linne) in the central Bahamas: I. Horizontal patterns in relation to reproductive and nursery grounds. *J. Shellfish Res.* 16(1):7-18.
365. Stoner A, Davis M. 1997. Abundance and distribution of queen conch veligers (*Strombus gigas* Linne) in the central Bahamas: II. Vertical patterns in nearshore and deep-water habitats. *J. Shellfish Res.* 16(1):19-29.
366. Stoner A, Glazer RA. 1998. Variation in natural mortality: Implications for queen conch stock enhancement. *Bulletin of Marine Science* 62(2):427-42.
367. Stoner A, Lin J, Hanisak M. 1995. Relationships between seagrass bed characteristics and juvenile queen conch (*Strombus gigas* Linne) abundance in the Bahamas. *J. Shellfish Res.* 14(2):315-23.
368. Stoner A, Mehta N, Ray-Culp M. 1998. Mesoscale distribution patterns of queen conch (*Strombus gigas* Linne) in Exuma Sound, Bahamas: Links in recruitment from larvae to fishery yields. *J. Shellfish Res.* 17(4):955-69.
369. Stoner A, Pitts P, Armstrong R. 1996. Interaction of physical and biological factors in the large-scale distribution of juvenile queen conch in seagrass meadows. *Bulletin of Marine Science* 58(1):217-33.
370. Stoner A, Ray-Culp M. 2000. Evidence for Allee effects in an over-harvested marine gastropod. *Mar. Ecol. Prog. Ser.* 202:297-302.
371. Stoner A, Ray-Culp M, O'Connell S. 1998. Settlement and recruitment of queen conch (*Strombus gigas* Linnaeus) to seagrass meadows: Associations with habitat and micropredators. *Fishery Bulletin* 96:885-99.
372. Stoner A, Ray M. 1993. Aggregation dynamics in juvenile queen conch (*Strombus gigas*): population structure, mortality, growth, and migration. *Mar. Biol.* 116:571-82.
373. Stoner A, Ray M. 1996. Queen conch, *Strombus gigas*, in fished and unfished

locations of the Bahamas: Effects of a marine fishery reserve on adults, juveniles, and larval production. Fishery Bulletin 94:551-65.

374. Stoner A, Ray M. 1996. Shell remains provide clues to historical distribution and abundance patterns in a large seagrass associated gastropod (*Strombus gigas*). Mar. Ecol. Prog. Ser. 135:101-8.
375. Stoner A, Ray M, Glazer R, McCarthy KJ. 1996. Metamorphic responses to natural substrata in a gastropod larva: Decisions related to postlarval growth and habitat preference. J. Exp. Mar. Biol. Ecol. 205:229-43.
376. Stoner A, Sandt V. 1991. Experimental analysis of habitat quality for juvenile queen conch in seagrass meadows. Fishery Bulletin 89:693-700.
377. Stoner A, Sandt VJ. 1992. Population structure, seasonal movements and feeding of queen conch, *Strombus gigas*, in deep-water habitats of the Bahamas. Bulletin of Marine Science 51(3):287-300.
378. Stoner A, Sandt V, Boidron-Metairon I. 1992. Seasonality in reproductive activity and larval abundance of queen conch *Strombus gigas*. Fishery Bulletin 90:161-70.
379. Stoner A, Schwarte K. 1994. Queen conch, *Strombus gigas*, reproductive stocks in the central Bahamas: distribution and probable sources. Fishery Bulletin 92(1):171-79.
380. Stoner A, Smith NP. 1998. Across-shelf transport of gastropod larvae in the central Bahamas: Rapid responses to local wind conditions. J. Plankton Res. 20(1):1-16.
381. Stoner A, Waite JM. 1991. Trophic biology of *Strombus gigas* in nursery habitats: diets and food sources in seagrass meadows. J. Mollus. Stud. 57:451-60.
382. Strong A, Liu G, Meyer J, Hendee J, Sasko D. 2004. Coral Reef Watch 2002. Bulletin of Marine Science 75(2):259-68.
383. Su X-W, Zhang D-M, Heuer AH. 2004. Tissue Regeneration in the Shell of the Giant Queen Conch, *Strombus gigas*. Chemistry of Materials 16(4):581-93.
384. Targett N, Arnold T. 1998. Predicting the Effects of Brown Algal Phlorotannins on Marine Herbivores in Tropical and Temperate Oceans. Journal of Phycology 34(2):195-205.
385. Tarrant A. in press. Endocrine-like Signaling in Cnidarians: Current Understanding and Implications for Ecophysiology. Integrative and Comparative Biology .
386. Thorrold SR . 1992. Evaluating the performance of light traps for sampling small fish and squid in open waters of the central Great Barrier Reef lagoon. Mar.

Ecol. Prog. Ser. 89:277-85.

387. Thorrold S, Shenker J, Maddox E, Mojica R, Jr., Wishinski E. 1994. Larval supply of shorefishes to nursery habitats around Lee Stocking Island, Bahamas. II. Lunar and oceanographic influences. *Mar. Biol.* 118:567-78.
388. Thorrold S, Shenker J, Mojica R, Jr., Maddox E, Wishinski E. 1994. Temporal patterns in the larval supply of summer-recruiting reef fishes to Lee Stocking Island, Bahamas. *Mar. Ecol. Prog. Ser.* 112(1-2):75-86.
389. Thorrold S, Shenker J, Wishinski E, Mojica R, Jr., Maddox ED. 1994. Larval supply of shorefishes to nursery habitats around Lee Stocking Island, Bahamas. I. Small-scale distribution patterns. *Mar. Biol.* 118:555-66.
390. Thresher R, Colin P, Bell L. 1989. Planktonic duration, distribution and population structure of western and central damselfishes (Pomacentridae). *Copeia* 1989(2):420-34.
391. Tolimieri N . 1998. The relationship among microhabitat characteristics, recruitment and adult abundance in the stoplight parrotfish, *Sparisoma viride*, at three spatial scales. *Bull. Mar. Bio.* 62(1):253-68.
392. Toscano M, Lundberg J. 1998. Early Holocene sea-level record from submerged fossil reefs on the southeast Florida margin. *Geol.* 26(3):255-8; 2 fig.; 1 tab.
393. Vogel K. 1993. Bioeroders in fossil reefs. *Facies* (28):109-14.
394. Vogel K, Gektidis MGS, Kiene W, and Radke G. 2000. Experimental studies on microbial bioerosion at Lee Stocking Island, Bahamas, and One Tree Island, Great Barrier Reef, Australia: implications for paleoecological reconstructions. *Lethaia* 33:190-204.
395. Voss K, Chapin A, Monti M, Zhang H. 2000. An instrument to measure the bi-directional reflectance distribution function (BRDF) of surfaces. *Applied Optics* 39:6197-206.
396. Voss K, Mobley C, Sundman L, Ivey J, Mazel C. 2003. The spectral upwelling radiance distribution in optically shallow waters. *Limnology and Oceanography* 48(1, part 2):364-73.
397. Walker S, Parsons-Hubbard K, Powell E, Brett CE. 2002. Predation on Experimentally Deployed Molluscan Shells from Shelf to Slope Depths in a Tropical Carbonate Environment. *Palaios* 17(2):147-70.
398. Walker S, Parsons-Hubbard K, Powell E, Brett C. 1998. Bioerosion or bioaccumulation? Shelf-Slope trends for epi- and endobionts on experimentally deployed gastropod shells. *Historical Biol.* 13:61-72.

399. Warner M, Fitt W, Schmidt G. 1999. Damage to photosystem II in symbiotic dinoflagellates: A determinant of coral bleaching. Proceedings of the National Academy of Sciences, USA 96:8007-12.
400. Warner M, Fitt W, Schmidt GW. 1996. The effects of elevated temperature on the photosynthetic efficiency of zooxanthellae *in hospite* from four different species of reef coral: a novel approach. Plant, Cell and Environment 19:291-9.
401. Watanabe WO, Burnett KM, Olla BL, Wicklund RI. 1989. The effects of salinity on reproductive performance in Florida red tilapia. J. World Aquaculture 20(4):223-9.
402. Watanabe WO, Clark JH, Dunham JB, Ernst DH, Wicklund RI, Olla BL. 1990. Culture of Florida red tilapia in marine cages: the effects of stocking density and dietary protein on growth. Aquaculture 90:123-4.
403. Watanabe WO, Clark JH, Dunham JB, Wicklund RI, Olla BL. 1990. Production of Florida red tilapia (*Tilapia hornorum* x *T. mossambica*) in floating marine cages. Prog. Fish Cult. 52:158-61.
404. Watanabe WO, Ellingson LJ, Olla BL, Ernst DH, Wicklund RI. 1990. Salinity tolerance and seawater survival vary ontogenetically in Florida red tilapia. Aquaculture 87:311-21.
405. Watanabe WO , Ernst DH, Chasar MP, Wicklund RI, Olla BL. 1993. The effects of temperature and salinity on growth and feed utilization of juvenile, sex-reversed male Florida red tilapia cultured in a recirculating system. Aquaculture 112:309-20.
406. Watanabe WO, French KE, Olla BL, Ernst DH, Wicklund RI. 1989. Salinity during early development influences survival and growth of Florida red tilapia in brackish and seawater. J World Aquaculture 20(3):134-42.
407. Watanabe WO, Mueller KW, Head WD, Ellis SC. 1993. Sex reversal of Florida red tilapia in brackishwater tanks under different treatment durations of 17 alpha- ethynyltestosterone administered in feed. J. Appl. Aquacult. 2(1):29-41.
408. Watanabe WO , Phillips SH, French KE, Ernst DH, Wicklund RI, Olla BL. 1988. Seawater survival and growth of juvenile, monosex male Florida red tilapia spawned at different salinities. J. World Aquaculture 19(1):72A.
409. Watanabe WO . 1991. Saltwater culture of tilapia in the Caribbean. J. World Aqua. 22(1):49-54.
410. Watanabe W, Ellis S, Ellis E, Head W, Kelley C, Moriwake A, Lee C, Bienfang P. 1995. Progress in controlled breeding of Nassau grouper (*Epinephelus*

- striatus*) broodstock by hormone induction. *Aquaculture* 138(1995):205-19.
411. Watanabe W, Feely M, Ellis S, Ellis EP. 1998. Light intensity and salinity effects on eggs and yolk sac larvae of the summer flounder. *Prog. Fish Cult.* 60:9-19.
412. Watanabe W, Smith S, Wicklund R, Olla B. 1992. Hatchery production of Florida red tilapia seed in brackishwater tanks under natural-mouthbrooding and clutch-removal methods. *Aquaculture* 102:77-88.
413. Webster M. 2004. Density dependence via intercohort competition in a coral-reef fish. *Ecology* 85:986-94.
414. Webster M. 2002. Role of predators in the early post-settlement demography of coral-reef fishes. *Oecologia* 131:52-60.
415. Webster M, Hixon M. 2000. Mechanisms and individual consequences of intraspecific competition in a coral reef fish. *Mar. Ecol. Prog. Ser* 196:187-94.
416. Wellington G, Fitt W. 2003. Influence of UV radiation on the survival of larvae from broadcast-spawning reef corals. *Limnology and Oceanography* .
417. Wellington G, Glynn P, Strong A, Navarrete S, Wieters E, Hubbard D. 2001. Crisis on coral reefs linked to climate change. *Eos, Transactions, American Geophysical Union* 82(1):1, 5.
418. Werdell P, Roesler C. 2003. Remote assessment of benthic substrate composition in shallow waters using multispectral reflectance. *Limnology and Oceanography* 48(1, part 2):557-67.
419. Whittle G, Rouche L, Dill R, et. al. 1991. Cement fabrics of the Bahamian platform and its margin near Lee Stocking Island. *AAPG Bull.* 75(3):693-4.
420. Whittle G, Kendall CStC, Dill R, Rouch L. 1993. Carbonate cement fabrics displayed: a traverse across the margin of the Bahamas platform near Lee Stocking Island in the Exuma Cays. *Mar. Geol.* 110:213-43.
421. Wicksten MK . 1995. Associations of fishes and their cleaners on coral reefs of Bonaire, Netherlands Antilles. *Copeia* 2:477-81.
422. Wicksten MK . 1998. Behavior of cleaners and their client fishes at Bonaire, Netherlands, Antilles. *J. Natl. Hist.* 32:13-30.
423. Wicksten MK . 1996. *Parhippolyte cavernicola*, new species (Decapoda: Caridea: Hippolytidae) from the tropical Eastern Pacific, with taxonomic remarks on the genera *Somersiella* and *Koror*. *J. Crust. Biol.* 16(1):201-7.
424. Wilson D, Meekan M. 2001. Environmental influences on patterns of larval

- replenishment in coral reef fishes. *Mar. Ecol. Prog. Ser.* 222:197-208.
425. Wilson P, Roberts H. 1995. Density cascading: off-shelf sediment transport evidence and implication in the Bahama Banks. *J. Sediment. Res.* A65(1):45-56.
426. Woodley JT. 1981. Hurricane Allen's impact on Jamaican coral reefs. *American Assc. Advancement Sci.* 214:749-55.
427. Yesares-Garcia J, Aguirre J. 2004. Quantitative taphonomic analysis and taphofacies in lower Pliocene temperate carbonatesiliciclastic mixed platform deposits (Almeria-Nijar basin, SE Spain). *Palaeo* 207(1-2):83-103.
428. Zaneveld J, Boss E. 2003. The influence of bottom morphology on reflectance: Theory and two-dimensional geometry model. *Limnology and Oceanography* 48(1, part 2):374-9.
429. Zawada D, Jaffe J. 2003. Changes in the fluorescence of the Caribbean coral *Montastraea faveolata* during heat-induced bleaching. *Limnology and Oceanography* 48(1, part 2):412-25.
430. Zhang H, Voss K, Reid R, Louchard E. 2003. Bidirectional reflectance measurements of sediments in the vicinity of Lee Stocking Island, Bahamas. *Limnology and Oceanography* 48(1, part 2):380-9.
431. Zimmerman R . 2003. A biooptical model of irradiance distribution and photosynthesis in seagrass canopies. *Limnology and Oceanography* 48(1, part 2):568-85.